

**CEFA**

**MEDIUM SIZE**

**fumagalli®**  
since 1973

E27 square lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as optional with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use. Insulation class II, protection rating IP55.

*Lanterna quadra E27 in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita anche completa di lampadine LED a filamento adatte ad uso in ambiente esterno, approvate TÜV, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*


NEW FILAMENT LED

**INDOOR & OUTDOOR USE**

6W - 8W - 12W  
100-240 V



**U23.111.M1R**



BULKHEAD

FLOODLIGHT

IN-GROUND

BRICKLIGHT

BOLLARDS

GARDEN


URBAN CLASSIC

URBAN MODERN

HIGH-BAY

POST

LAMPS



**MADE IN ITALY**

**CEFA - LANTERN COMPONENTS**

IP55



Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

**PINNACOLO** decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).

Lantern **ROOF** made of shockproof resin material, UV rays stabilized and supplied with E27 lampholder. Tool-free opening for relamping and maintenance,.

**TETTO** realizzato in resina antiurto, stabilizzata ai raggi UV, fornito completo di portalamпада E27. Removibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina.

**DIFFUSER** made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and provided with recess for power cable supply. Made of one piece only and closed at the bottom to ensure high protection against external agents (IP 55).

**DIFFUSORE** in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e provvisto di scanalatura per il passaggio del cavo di alimentazione. Realizzato in un pezzo unico e con fondo chiuso per garantire un alto livello di protezione contro gli agenti esterni (IP 55).

**CAGE** made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

**GABBIA** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

**CEFA**

U23.000 \*



**Dimensions and weight**

Height: 380 mm  
Width: 230 mm  
Depth: 230 mm  
Weight: 1,2 Kg

**Moulded colours:**

Black  White

**Painted colours:**

Antique green  Antique bronze

**Diffuser PMMA:**

Clear  Opal

**E27 VERSIONS**

\*ADD. SUFFIX



**E27**  
**NEW FILAMENT LED LAMPS**  
100-240 V

E27 (GLS-CFL-LED)		max 60W max 160 mm	.E27
	6 W	800 Lm	2700 K .F1R
	8 W	1000 Lm	2700 K .M1R
	12 W	1500 Lm	2700 K .N1R

- **PERFECT MATCHING WITH CLASSIC LANTERNS:** clear LED filament lamp with the look and the feeling of a traditional incandescent bulb.
- **SUITABLE FOR OUTDOOR USE:** 100-240 V built-in driver fully protected against heat and humidity by silicone paste.
- **OMNIDIRECTIONAL LIGHT:** 360° light output for a better lighting distribution on hexagonal and square classic lanterns.
- **HIGH EFFICIENCY:** 90% energy saving.

6W  
8W  
12W = 60W  
75W  
100W incandescent


**SAVE 90%**

**LED LAMPS**

More technical details about TÜV approved Fumagalli LED Lamps on page 468.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

**PHOTOMETRIC DATA SAMPLE**



**GOLIA** lantern clear with Fumagalli Filament Led Lamp 6W.

POST height 2mt  
6x6mt area: average 4 lux

The photometric data for all the versions are available upon request or on our website.

BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS



**U23.131.M1R**



**U23.163.M1R**



**U23.120.M1R**

MADE IN  
ITALY



**BISSO/CEFA**

<b>E27</b> lamp holder	U23.131.E27
<b>6W</b> LED	U23.131.F1R
<b>8W</b> LED	U23.131.M1R
<b>12W</b> LED	U23.131.N1R

Pcs 12  
Kg 20,8  
mc 0,225

**PORPORA/CEFA**

<b>E27</b> lamp holder	U23.141.E27
<b>6W</b> LED	U23.141.F1R
<b>8W</b> LED	U23.141.M1R
<b>12W</b> LED	U23.141.N1R

Pcs 1  
Kg 4  
mc 0,034

**MINILOT/CEFA**

<b>E27</b> lamp holder	U23.111.E27
<b>6W</b> LED	U23.111.F1R
<b>8W</b> LED	U23.111.M1R
<b>12W</b> LED	U23.111.N1R

Pcs 12  
Kg 20,8  
mc 0,225

**CEFA**

<b>E27</b> lamp holder	U23.000
------------------------	---------

Pcs 1  
Kg 1,26  
mc 0,018

**SICHEM/CEFA**

<b>E27</b> lamp holder	U23.120.E27
<b>6W</b> LED	U23.120.F1R
<b>8W</b> LED	U23.120.M1R
<b>12W</b> LED	U23.120.N1R

Pcs 12  
Kg 20,8  
mc 0,225

**MIZAR/CEFA resin**

<b>E27</b> lamp holder	U23.151.E27
<b>6W</b> LED	U23.151.F1R
<b>8W</b> LED	U23.151.M1R
<b>12W</b> LED	U23.151.N1R

Pcs 1  
Kg 3,5  
mc 0,07

**IAFET/CEFA resin**

<b>E27</b> lamp holder	U23.162.E27
<b>6W</b> LED	U23.162.F1R
<b>8W</b> LED	U23.162.M1R
<b>12W</b> LED	U23.162.N1R

Pcs 2  
Kg 7,3  
mc 0,086

**ALOE'R/CEFA resin**

<b>E27</b> lamp holder	U23.163.E27
<b>6W</b> LED	U23.163.F1R
<b>8W</b> LED	U23.163.M1R
<b>12W</b> LED	U23.163.N1R

Pcs 2  
Kg 7,4  
mc 0,121

**ARTU'/CEFA**

<b>E27</b> lamp holder	U23.158.E27
<b>6W</b> LED	U23.158.F1R
<b>8W</b> LED	U23.158.M1R
<b>12W</b> LED	U23.158.N1R

Pcs 1  
Kg 9,6  
mc 0,148

**GIGI/CEFA**

<b>E27</b> lamp holder	U23.156.E27
<b>6W</b> LED	U23.156.F1R
<b>8W</b> LED	U23.156.M1R
<b>12W</b> LED	U23.156.N1R

Pcs 1  
Kg 11,6  
mc 0,172

**RICU/CEFA**

<b>E27</b> lamp holder	U23.157.E27
<b>6W</b> LED	U23.157.F1R
<b>8W</b> LED	U23.157.M1R
<b>12W</b> LED	U23.157.N1R

Pcs 1  
Kg 13  
mc 0,18

BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
BOLLARDS  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS

**CEFA**  
MEDIUM SIZE



MADE IN ITALY



**GIGI BISSO/CEFA 2L**

<b>E27</b> lamp holder	U23.156.S20.E27
<b>6W</b> LED	U23.156.S20.F1R
<b>8W</b> LED	U23.156.S20.M1R
<b>12W</b> LED	U23.156.S20.N1R

Pcs 1  
Kg 13,5  
mc 0,182

820

2170

2

Ø 245

**GIGI BISSO/CEFA 3L**

<b>E27</b> lamp holder	U23.156.S30.E27
<b>6W</b> LED	U23.156.S30.F1R
<b>8W</b> LED	U23.156.S30.M1R
<b>12W</b> LED	U23.156.S30.N1R

Pcs 1  
Kg 14,7  
mc 0,182

770

2170

3

Ø 245

**GIGI BISSO/CEFA 2+1**

<b>E27</b> lamp holder	U23.156.S21.E27
<b>6W</b> LED	U23.156.S21.F1R
<b>8W</b> LED	U23.156.S21.M1R
<b>12W</b> LED	U23.156.S21.N1R

Pcs 1  
Kg 14,7  
mc 0,182

2270

2+1

Ø 245

**GIGI BISSO/CEFA 3+1**

<b>E27</b> lamp holder	U23.156.S31.E27
<b>6W</b> LED	U23.156.S31.F1R
<b>8W</b> LED	U23.156.S31.M1R
<b>12W</b> LED	U23.156.S31.N1R

Pcs 1  
Kg 15,9  
mc 0,182

2270

3+1

Ø 245

**RICU BISSO/CEFA 2L**

<b>E27</b> lamp holder	U23.157.S20.E27
<b>6W</b> LED	U23.157.S20.F1R
<b>8W</b> LED	U23.157.S20.M1R
<b>12W</b> LED	U23.157.S20.N1R

Pcs 1  
Kg 14,2  
mc 0,214

820

2450

2

Ø 245

**RICU BISSO/CEFA 3L**

<b>E27</b> lamp holder	U23.157.S30.E27
<b>6W</b> LED	U23.157.S30.F1R
<b>8W</b> LED	U23.157.S30.M1R
<b>12W</b> LED	U23.157.S30.N1R

Pcs 1  
Kg 15,2  
mc 0,214

770

2450

3

Ø 245

**RICU BISSO/CEFA 2+1**

<b>E27</b> lamp holder	U23.157.S21.E27
<b>6W</b> LED	U23.157.S21.F1R
<b>8W</b> LED	U23.157.S21.M1R
<b>12W</b> LED	U23.157.S21.N1R

Pcs 1  
Kg 15,2  
mc 0,214

2550

2+1

Ø 245

**RICU BISSO/CEFA 3+1**

<b>E27</b> lamp holder	U23.157.S31.E27
<b>6W</b> LED	U23.157.S31.F1R
<b>8W</b> LED	U23.157.S31.M1R
<b>12W</b> LED	U23.157.S31.N1R

Pcs 1  
Kg 16,2  
mc 0,214

2550

3+1

Ø 245